


Surftest SJ-210S [inch/mm] "R2 μ m; 0,75mN; S-Drive" Item number: 178-565-11E



Description

This is a portable measuring instrument that allows you to easily and accurately measure surface roughness.

The Surftest SJ-210 offers you the following benefits:

- Skid system gives you user friendly and intuitive menu navigation.
- It works independently of mains power, allowing you to make on-site measurements.
- The **6.0 cm** [2.4"] colour graphic, back-lit LCD gives you excellent readability.
- It performs roughness analyses conform to various international standards (EN ISO, VDA, ANSI, JIS) and customized settings.
- Different drivers expanding the range of applications.
- Calculation results, assessed profiles, bearing and amplitude curves can be displayed.
- Support of 21 languages.
- Operation by keys on the front and under the sliding cover.

Specification

Detector measuring force:	0.75 mN
Stylus tip angle:	60°
Stylus tip radius:	2 μm
Mass:	500 g
Measuring range:	16 mm, 4.8 mm [S-type]
Traverse:	17.5 mm, 5.6 mm [S-type]
Measuring speed:	0.25 mm/s; 0.5 mm/s; 0.75 mm/s
Measuring method:	Differential inductance
Range:	360 μm
Stylus:	Diamond Tip
Skid radius:	40 mm
Profiles:	Roughness Profile (R), R-Motif, DF-Profile and more

Roughness standard:	EN ISO, VDA, JIS, ANSI and customize settings
Digital filter:	Gauss, 2CR75, PC75
Cut-off length:	λ_c : 0.08 mm; 0.25 mm; 0.8 mm; 2.5 mm λ_s : 2.5 μm ; 8 μm
Tolerance:	Coloured upper / lower limit
Power supply:	AC adapter or rechargeable battery
Inch-Metric:	Inch/Metric

Accessories

Optional accessories:



**Granite stand
for Surftest SJ-210 / SJ-310***
178-029



**Adapter for magnetic stand; D8mm
for Surftest SJ-210 / SJ-310**
12AAA221



**Standard drive unit 17,5 mm
for SJ-210 / SJ-310 series**
178-230-3



**S-type drive unit 5,6 mm
for SJ-210 / SJ-310 series**
178-233-3




**S-type drive unit set
for SJ-210 / SJ-310 series**
178-234-3




**R-type drive unit 17,5 mm
for SJ-210 / SJ-310 series**
178-235-3



**Extension rod length 50mm
for SJ-210 / SJ-310 series**
12AAA210



**Standard detector 2 μm ; 0,75mN
for SJ-210 / SJ-310 series**
178-296



**Detector small holes D4,5; 2 μm ; 0,75mN
for SJ-210 / SJ-310 series**
178-383



**Detector small holes D2,8; 2 μm ; 0,75mN
for SJ-210 / SJ-310 series**
178-384

